



### Air Sampling Form

**Client:** Santa Monica Malibu USD  
**Project No.:** SMSD-21-10154  
**Project Location:** SAMOHI – History Building

**Date:** 7-6-21

Sample #	Sample Location	Type	Activity in Progress	Start Time	Stop Time	LPM Start	LPM Stop	Volume (L)	Fibers/Fields	F/CC*
C-1	History 1 <sup>st</sup> floor - North	C	Clearance	1032	1302	9	9	1350	15.5/100	.006
C-2	History 1 <sup>st</sup> floor – North center	C	Clearance	1032	1302	9	9	1350	22/100	.008
C-3	History 1 <sup>st</sup> floor - Center	C	Clearance	1032	1302	9	9	1350	20/100	.007
C-4	History 1 <sup>st</sup> floor – South center	C	Clearance	1032	1302	9	9	1350	17/100	.006
C-5	History 1 <sup>st</sup> floor - South	C	Clearance	1032	1302	9	9	1350	14/100	.005
C-6	Field blank									
C-7	Lab blank									

Type: OWA = Outside Work Area; IWA = Inside Work Area; B = Background; P = Personal; C = Clearance

<b>Microscopist: Randy Flores</b>	<b>Comments:</b>
<b>Microscope #: DM500</b>	
<b>Graticle field area (mm<sup>2</sup>): 0.00785</b>	
<b>Filter area (mm<sup>2</sup>): 385</b>	
<b>Q.C. slide readable: Yes</b>	



## Air Sampling Form

On-Site Technician: Jorge Robles (#17-6028)

---